

Deflatability of permutation classes

Michael Albert

Department of Computer Science, University of Otago.

Joint work with

Mike Atkinson (UO), Cheyne Homberger (UF) and Jay Pantone (UF).

Permutation Patterns 2014, Johnson City



The definitions

A *permutation* is a set of points in the plane (no two on a horizontal or vertical line)



The definitions

I lied, it's the equivalence class of such a set of points under arbitrary vertical and horizontal rescaling.



The definitions

A *(permutation) class* is a set of permutations closed under erasing points.



The definitions

A permutation is *simple* if no box contains at least two points and is not cut horizontally or vertically by an exterior point unless it contains all the points.



The definitions

An *interval* in a permutation is a box (or the elements it contains) that is not cut horizontally or vertically by any point not in it.



The definitions

So a permutation is *simple* if its only intervals contain 0, 1 or all the points (these are *trivial* intervals).



The definitions

A permutation class is *deflatable* if it has a proper subclass containing the same simple permutations.



The definitions

Equivalently, a class $\mathcal{C}$ is *not deflatable* if every permutation in $\mathcal{C}$ has a simple extension in $\mathcal{C}$.



What's the point of deflatability?

- ▶ If a class $\mathcal{C}$ is deflatable, then the class $\mathcal{D}$ formed by closing its simples under subpermutation is strictly smaller.
- ▶ Understand $\mathcal{D}$.
- ▶ Understand the allowed inflations to get $\mathcal{C}$.



The question (and answer)

Question: Which principal permutation classes $Av(\pi)$ are deflatable?



The question (and answer)

Question: Which principal permutation classes $\text{Av}(\pi)$ are deflatable?

Answer: It's complicated.




The question (and answer)

Question: Which principal permutation classes $\text{Av}(\pi)$ are deflatable?

Answer: It's complicated, and we don't know the whole story.




Intervals and extensions



$$2 \leq |\alpha| < |\omega|$$




Intervals and extensions



x cuts α



Intervals and extensions



x is separated from α



An observation

Let ω be a permutation containing an interval α and suppose that $\omega' = \omega \cup \{x\}$ where x cuts and is separated from α . If x belongs to a proper interval of ω' then at least one of the following must hold:

- ▶ ω is decomposable,
- ▶ α is not a maximal interval of ω .



An observation

Let ω be a permutation containing an interval α and suppose that $\omega' = \omega \cup \{x\}$ where x cuts and is separated from α . If x belongs to a proper interval of ω' then at least one of the following must hold:

- ▶ ω is decomposable,
- ▶ α is not a maximal interval of ω .

If neither holds:

- ▶ ω' is indecomposable,
- ▶ any proper interval of ω' is a proper interval of ω , and
- ▶ α is not an interval of ω' .



A plan

Let $|\pi| \geq 4$. To show $Av(\pi)$ is not deflatable:

1. Show that every permutation of $Av(\pi)$ is contained in an indecomposable one.
2. Show that if α is a maximal interval of a non-simple element, ω , of $Av(\pi)$ then there is an extension $\omega' = \omega \cup \{x\}$ also in $Av(\pi)$ where α is cut by and separated from x .




A plan

Let $|\pi| \geq 4$. To show $Av(\pi)$ is not deflatable:

1. Show that every permutation of $Av(\pi)$ is contained in an indecomposable one.
2. Show that if α is a maximal interval of a non-simple element, ω , of $Av(\pi)$, then there is an extension $\omega' = \omega \cup \{x\}$ also in $Av(\pi)$ where x cuts and is separated from α .




$Av(2143)$: Embedding in an indecomposable



Av(2143): Breaking an interval (I)

Suppose there is a 21 below and left of the interval α . Let b be the 1 of the leftmost such 21. Let $a = \min \alpha$ and add x just above a and just to the left of b . Check that it can't make a 2143.



Av(2143): Breaking an interval (II)

- ▶ We can assume the area below and left of α is increasing.



Av(2143): Breaking an interval (II)

- ▶ We can assume the area below and left of α is increasing.
- ▶ To avoid decomposability, above left or below right must be non empty (say the former by symmetry).



Av(2143): Breaking an interval (II)

- ▶ We can assume the area below and left of α is increasing.
- ▶ To avoid decomposability, above left or below right must be non empty (say the former by symmetry).
- ▶ Now let b be the rightmost element of that area.




Av(2143): Breaking an interval (II)

- ▶ We can assume the area below and left of α is increasing.
- ▶ To avoid decomposability, above left or below right must be non empty (say the former by symmetry).
- ▶ Now let b be the rightmost element of that area.



Av(2143): Breaking an interval (II)

- ▶ We can assume the area below and left of α is increasing.
- ▶ To avoid decomposability, above left or below right must be non empty (say the former by symmetry).
- ▶ Now let b be the rightmost element of that area.



Towards part 2 of the argument

- ▶ As my Olympiad students would say “case bashing”.



Towards part 2 of the argument

- ▶ As my Olympiad students would say “case bashing”.
- ▶ From experience in the length four case, concentrate on decomposable π , say $\pi = \lambda \oplus \rho$.



Towards part 2 of the argument

- ▶ As my Olympiad students would say “case bashing”.
- ▶ From experience in the length four case, concentrate on decomposable π , say $\pi = \lambda \oplus \rho$.
- ▶ Try adding “cutting and separated” x in obvious places (near the edge of α , separated by at most one element etc.)



Towards part 2 of the argument

- ▶ As my Olympiad students would say “case bashing”.
- ▶ From experience in the length four case, concentrate on decomposable π , say $\pi = \lambda \oplus \rho$.
- ▶ Try adding “cutting and separated” x in obvious places (near the edge of α , separated by at most one element etc.)

Theorem

If $\pi = \lambda \oplus \rho$ and $|\lambda|, |\rho| \geq 2$ then $\text{Av}(\pi)$ is not deflatable.



More on the decomposable case

A *bond* is an interval of size 2. Bonds can be increasing or decreasing.

Theorem

If $\pi = 1 \oplus \rho$ and ρ does not contain both an increasing and a decreasing bond, then $\text{Av}(\pi)$ is not deflatable.



More on the indecomposable case

Ummm ...



More on the indecomposable case

Ummm ...

Theorem (MA + VV)

$A_{\mathbf{V}}(2413)$ *is not deflatable.*



Deflatable examples

To show that $A_V(\pi)$ is deflatable one needs to find some $\omega \in A_V(\pi)$ without a simple extension. This is greatly facilitated by:



Deflatable examples

To show that $Av(\pi)$ is deflatable one needs to find some $\omega \in Av(\pi)$ without a simple extension. This is greatly facilitated by:

Theorem

Suppose that $\omega \in Av(\pi)$ contains a bond α and there is no one point extension $\omega \cup \{x\} \in Av(\pi)$ where x cuts and is separated from α . Then ω has no simple extension in $Av(\pi)$.



Deflatable examples

To show that $Av(\pi)$ is deflatable one needs to find some $\omega \in Av(\pi)$ without a simple extension. This is greatly facilitated by:

Theorem

Suppose that $\omega \in Av(\pi)$ contains a bond α and there is no one point extension $\omega \cup \{x\} \in Av(\pi)$ where x cuts and is separated from α . Then ω has no simple extension in $Av(\pi)$.

Which is most easily illustrated using *PermLab*.



Remaining issues

- ▶ The indecomposable case, in particular is deflatability, non-deflatability, or “it depends” typical?
- ▶ Systematic construction of deflatable examples (we have an infinite set but all very *ad hoc*)
- ▶ In the principal case, do one point extensions suffice (to reduce the number of intervals)? They do not in general (see *PermLab* again).



Remaining issues

- ▶ The indecomposable case, in particular is deflatability, non-deflatability, or “it depends” typical?
- ▶ Systematic construction of deflatable examples (we have an infinite set but all very *ad hoc*)
- ▶ In the principal case, do one point extensions suffice (to reduce the number of intervals)? They do not in general (see *PermLab* again).

Thank you!

